

F om To Subject Date	Bit differs. DRIMI Case. MiddleSelf Address A. El Byers Case "- Medi Proces gale on well" update OFFICE/2010 FOR and A.  OFFICE/2010 FOR A.  OFFIC
Robert just called and said they may shut down on Thursday to cement. Shut down for 72 hrs then resume. Is all a moving target but our crew has been very flexible in adjusting schedule. All air monitoring has gone smoothly. Delivered trailer and generator yesterday night crew was very appreciative. Told the LDEQ day shift they were welcome to occupy during their shift.	
From: Gerg File (final Note File Gregolipepanel epa gay) Senti: Walenday September 12 2012 9-04 AM To: Bordelon Dav'd Subject: Fiv: Bayou Corner reled/investigation well update	
Greg Bife Sent using BlackBerry	
From Ragan Broyles Sent (911/2012 63 12 PM MDT To [166 Litter@Ream	
FYI. Who is monitoring Bayou Come air moni oring?  — a wall dely Regen Bayou Roll USE A US on 09 20 204 M ——	
o "Michael C Cc "Ragan B Date 09 20	weers RI USE A US  No bay **Capt II than Executed sea gaps **Thicknot Casses** **Captain Exhausticated sea gaps  Note A Captain Executed sea gaps **Thicknot Casses** **Captain Exhausticated sea gaps  Note A Captain Exhausticated sea gaps **Thicknot Casses** **Captain Exhausticated sea gaps  2 03 05 M  Page Captain ** A Investigation will replace as well replaced as a Page A Investigation will replace as well replaced on will replace as well as we

----- Original Message ----From Incland Convoir
To Philippe Tab Delianger in No Lawrence: Nike Frazier
Subject Boyon Corne realize/Invoirsignation well\* update
Boblect Boyon Corne realize/Invoirsignation well\* update
Boblev she ded yield office report or Sunday 98 which is the last est on the DNR website. To was 2717 and according to the permit application they planned o drill to 3000 and set casing and then dril to the top of the covern at 3 95° I would think that they may reach 3000 today based on the fact they drilled 25 ' Sunday and if you add that o Sundays TO for drilling yesterday it would be 2971'.





CONFIDENTIALITY: This email and attachments may contain information which is confidential and propretary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.